

**Green, Angela**

---

**From:** Dave Washington [Dave.Washington@sbpatentlaw.com]  
**Sent:** Wednesday, August 05, 2009 2:26 PM  
**To:** Green, Angela  
**Subject:** US Patent No. 7,529,380 SUPPLEMENT TO CERTIFICATE OF CORRECTION FILED 07/20/09  
**Attachments:** Supplement\_to\_Request\_for\_COC\_Statement.pdf

Ms. Green,

Please let me know if this is a sufficient Supplemental to be included with the previously filed Request for Certificate of Correction.

Thank you,

**David Washington**

Patent Clerk

**STUDEBAKER & BRACKETT**

1890 Preston White Drive, Suite 105

Reston, VA 20191

Ph: 703-390-9051

Fax: 703-390-1277

Email: dave.washington@sbpatentlaw.com

**Please copy all instructions to [info@sbpatentlaw.com](mailto:info@sbpatentlaw.com) to ensure proper handling.**

8/5/09

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT application of )  
Minoru UEDA et al. )  
Application No. 10/592,957 )  
Patent No. 7,529,380 ) Art Unit: 2614  
Issued: May 5, 2009 ) Confirmation No. 8707  
Filing Date: September 15, 2006 ) Date: August 5, 2009  
For: MULTIFUNCTION-TYPE )  
VIBRATION ACUATOR AND )  
MOBILE TERMINAL DEVICE )

SUPPLEMENT TO CERTIFICATE OF CORRECTION FILED ON JULY 20, 2009

Mail Stop PETITIONS  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313

Sir:

Further to the request for the Certificate of Correction filed on July 20, 2009, we submit under 37 C.F.R. 1.11 that the Assignee's name for correction was filed before the issuance of the patent as recorded by Reel/Frame 018318/0655 on September 15, 2006.

Further, it is respectfully requested that the present file be transferred to the Certificates of Correction Branch for issuance of a Certificate of Correction upon granting of this request.

Respectfully submitted,

/Donald R. Studebaker/  
Donald R. Studebaker  
Registration No. 32,815

STUDEBAKER & BRACKETT PC  
1890 Preston White Drive  
Suite 105  
Reston, VA 20191

Ph: 703-390-9051  
Fax: 703-390-1277